





STOVE STRUCTURE CODE 7013004
EAN 8033123611848


STEEL


-  ANTHRACITE
6913079
EAN 8033123614313
-  WHITE
6913003
EAN 8033123612692
-  RED
6913002
EAN 8033123612708
-  SILVER
6913001
EAN 8033123612715

GLASS

-  WHITE
6913005
EAN 8033123612739
-  RED
6913004
EAN 8033123612722

STONE

-  SERPENTINO
6913006
EAN 8033123612654



EXTRA



Hopper, back and lateral exhaust



Overheating protection



Cold hand



Connection to the external thermostat



Daily weekly programming



Remote control



Sealed chamber





Steel burning pot AISI

TECHNICAL DATAS


Nominal power	kW	6,5
Reduced power	kW	2,5
Nominal water useful power	kW	-
Reduced water useful power	kW	-
Nominal efficiency	%	89,5
Reduced efficiency	%	93
Heating volume (min-max)	m ³	60 - 156
Nominal CO at 13% O ₂	%	0,008
Reduced CO at 13% O ₂	%	0,050
Nominal dust content at 13% O ₂	mg/Nm ³	16
Boiler capacity (H ₂ O)	l	-
Hopper capacity	kg	8
Combustible		Pellet ø6
Hourly consumption (min-max)	kg/h	0,50 - 1,50
Autonomy (min-max)	h	16 - 5,3
Ignition electrical absorption (max)	W	350
Operating electrical absorption (max)	W	50
Supply and frequency	V - Hz	230 - 50
Chimney flue depression	Pa	11
Exhaust diameter	mm	80
Combustion air inlet diameter	mm	60
Mass of smoke (min-max)	g/sec	2,4 - 4,4
Exhaust fumes temperature (max)	°C	172
Net weight	kg	92-98-107
Gross weight	kg	102-108-117

PACKAGING AND STOCKING



L (cm)	120
H (cm)	54,6
P (cm)	100

LINING PACKING



LINING	L (cm)	H (cm)	P (cm)
Steel	83	10	22
Glass	92	16	26
Stone	83	10	22



Art. 15A B-VG 2015



BlmSchV 2015



Regensburg



München



Stuttgart

Aachen