

STOVE STRUCTURE CODE 7013008
EAN 8033123611794

LINING

- NEW YORK
6913022
EAN 8033123612906
- NEW YORK DAY
6914023
EAN 8033123614979
- PARIS
6913023
EAN 8033123612913

STEEL


- ANTHRACITE
6913081
EAN 8033123614337
- WHITE
6913025
EAN 8033123612876
- RED
6913024
EAN 8033123612883
- WENGÉ
6913021
EAN 8033123612890

MAJOLICA

- IVORY
6913027
EAN 8033123612685
- RED
6913026
EAN 8033123612920

GLASS

- WHITE
6913029
EAN 8033123612937
- RED
6913028
EAN 8033123612944



EXTRA



Hopper, back and lateral exhaust



Overheating protection



Cold hand



Connection to the external thermostat



Daily weekly programming



Remote control





Steel burning pot AISI

TECHNICAL DATAS


Nominal power	kW	9
Reduced power	kW	3,8
Nominal water useful power	kW	-
Reduced water useful power	kW	-
Nominal efficiency	%	87,5
Reduced efficiency	%	84
Heating volume (min-max)	m ³	91 - 216
Nominal CO at 13% O ₂	%	0,011
Reduced CO at 13% O ₂	%	0,049
Nominal dust content at 13% O ₂	mg/Nm ³	25
Boiler capacity (H ₂ O)	l	-
Hopper capacity	kg	18
Combustible		Pellet ø6
Hourly consumption (min-max)	kg/h	0,91 - 2,18
Autonomy (min-max)	h	19,8 - 8,3
Ignition electrical absorption (max)	W	350
Operating electrical absorption (max)	W	50
Supply and frequency	V - Hz	230 - 50
Chimney flue depression	Pa	12
Exhaust diameter	mm	80
Combustion air inlet diameter	mm	40
Mass of smoke (min-max)	g/sec	6,71 - 7,45
Exhaust fumes temperature (max)	°C	196
Net weight	kg	114-123-123
Gross weight	kg	124-133-133

PACKAGING AND STOCKING



L (cm)	120
H (cm)	54,6
P (cm)	100

LINING PACKING



LINING	L (cm)	H (cm)	P (cm)
Steel	99	11	41
Majolica	99	11	41
Glass	99	11	41



EN 14785:2006



BlmSchV 2015



Regensburg



München

Stuttgart

Aachen